

## Soft and Mechanical Soft Diet

### **Purpose**

The soft diet serves as a transition from liquids to a regular diet for individuals who are recovering from surgery or a long illness. It can help to ease difficulty in chewing and/or swallowing due to dental problems or extreme weakness, and it is sometimes recommended to relieve mild intestinal or stomach discomfort. The soft diet can be especially helpful to patients who are undergoing treatments like chemotherapy, or radiation to the head, neck or abdominal areas, which may cause digestive problems or make the mouth and throat very sore.

The soft diet limits or eliminates foods that are hard to chew and swallow, such as raw fruits and vegetables, chewy breads, and tough meats. In some cases, high-fiber foods like whole-grain breads and cereals and "gas-forming" vegetables like broccoli or cauliflower may be restricted to ease digestion. Fried, greasy foods and highly-seasoned or spicy foods may also be limited for this reason.

Foods may be softened by cooking or mashing. Canned or soft-cooked fruits and vegetables may be used in place of raw or dried varieties. Refined breads and cereals are usually recommended over coarse, whole-grain types. Moist, tender meats, fish, and poultry are permitted; it is not necessary to grind them unless desired. Eating small, frequent meals can help to reduce gas or bloating.

The mechanical soft diet is a close cousin of the soft diet. It gets its name from the fact that household tools and machines, like a blender, meat grinder, or knife, are used to make foods easier to chew and swallow.

In contrast to the soft diet, the mechanical soft diet does not restrict fat, fiber, spices, or seasonings. Only the texture and consistency of foods are changed. Fruits and vegetables may be soft-cooked or pureed. Meats, fish, and poultry can be cooked, ground, and moistened with sauce or gravy to make chewing and swallowing more comfortable. Breads and crackers may be limited at first, as they can be dry and difficult to swallow. Milk and other dairy products like pudding, custard, and smooth yogurt may not need to be changed at all!

The mechanical soft diet is appropriate for patients who are recovering from head, neck, or mouth surgery, who have dysphagia (difficulty swallowing),

narrowing of the esophagus (food tube), or who are too ill or weak to chew. The diet also benefits those who have poorly fitting dentures, no teeth, or other dental problems.

Guidelines for the Soft Diet		
Food Group	Foods Allowed	Foods to Avoid
Beverages	all	none
Soups	mildly seasoned broth, bouillon, or cream soup; strained vegetable soup	bean, gumbo, split pea, or onion soup; chunky soups or chowders
Meats	any moist, tender meats, fish, or poultry (lamb, veal, chicken, turkey, tender beef, liver stewed pork); eggs (see exceptions); creamy peanut butter	Fried chicken or fish; fish with bones; shellfish; fried, salted, or smoked meats; sausage; cold cuts; raw or fried eggs; dried beans; nuts and seeds
Dairy	all low-fat milk products, smooth yogurt, mild-flavored cheese, cottage cheese	(avoid milk if lactose-intolerant), yogurt with nuts or seeds, sharp or strong cheeses, cheeses with whole seeds or spices
Fruits	cooked or canned fruit, soft, fresh banana or avocado, fruit juice	all raw fruit (except banana or avocado), dried fruit (dates, raisins), coconut
Vegetables	soft-cooked or canned vegetables (see exceptions), fresh lettuce or tomato, potatoes (mashed, baked, boiled, or creamed), vegetable	gas-forming vegetables (broccoli, brussel sprouts, cabbage, cauliflower, cucumber, green pepper, onion turnip), whole kernel corn, raw vegetables (except lettuce or tomato), fried vegetables french fries, hash browns
Grains	refined cooked or ready-to-eat cereal;	whole-grain breads and cereals (bran, rye with seeds,

	refined white, wheat, or rye bread, rolls, or crackers; plain white rice; pasta	or whole wheat); breads or rolls with coconut, raisins, nuts, or seeds
Fats	butter, margarine, mild salad dressing, mayonnaise, gravy, cream, cream substitute, sour cream, vegetable oil	Spicy salad dressings, fried foods
Desserts & Sweets	smooth ice cream, ice milk, or frozen yogurt; sherbet; fruit ices; custards; puddings; cake or cookies made without nuts or coconut	desserts or candy made with dried fruit, nuts, coconut; candied fruit; peanut brittle
Seasonings	ketchup; cheese, cream, tomato, or white sauces; soy sauce; chopped or ground leaf herbs	garlic, horseradish, chili powder, whole or seed herbs and spices, barbecue or cajun seasonings, worcestershire sauce

### **Nutrition Facts**

Both the soft and mechanical soft diets meet the National Research Council's Recommended Dietary Allowances (RDAs) for all nutrients. However, if a patient has a poor appetite or is physically unable to eat enough food, either diet may be deficient in calories, protein, vitamins, or minerals. The physician or registered dietitian may recommend nutritional supplements or snacks if this is the case. Consult a professional if either diet is to be combined with other dietary restrictions (e.g. low-sodium diets).

### **Special Considerations**

As one person may tolerate foods that cause discomfort to another, advice for both the soft and mechanical soft diets will vary according to what is appropriate for each individual patient. Guidelines for the soft diet are looser today than they were in the past, especially with regard to the elimination of high-fiber foods like whole grains and vegetables. The mechanical soft diet may also vary according to what textures of food the patient can best chew or swallow. As everyone's case is different, it is best to get a personalized

recommendation on either diet from a physician or registered dietitian.

Sample Menu Soft Diet		
<p><b>Breakfast</b>                      orange juice - 1/2 cup                      oatmeal - 1 cup                      whole wheat toast - 2 slices                      margarine - 2 tsp                      sugar - 1 tsp                      whole milk - 1 cup                      banana - 1 med</p>	<p><b>Lunch</b>                      spaghetti with marinara sauce - 1 1/2 cups                      Italian bread - 2 slices                      margarine - 1 tsp                      applesauce - 1 cup                      grape juice - 1/2 cup</p>	<p><b>Dinner</b>                      marinated chicken breast - 3 oz                      grilled zucchini - 1/2 cup                      pasta salad - 1/2 cup                      whole wheat roll - 1                      margarine - 1 tsp                      peach cobbler - 1/2 cup                      whole milk - 1/2 cup</p>

This Sample Diet Provides the Following			
Calories	1940	Fat	53 gm
Protein	72 gm	Sodium	1938 mg
Carbohydrates	302 gm	Fiber	24 gm

Sample Menu MechanicalSoft Diet		
<p><b>Breakfast</b>                      orange juice - 1/2 cup                      oatmeal - 1 cup                      sugar - 1 tsp                      banana - 1 med                      whole milk - 1 cup</p>	<p><b>Lunch</b>                      ground spaghetti with ground meat sauce - 1 1/2 cups                      ground broccoli - 1/2 cup                      margarine - 2 tsp                      applesauce - 1/2 cup                      chocolate pudding - 1/2 cup                      chocolate milkshake - 1 cup</p>	<p><b>Dinner</b>                      ground chicken breast - 3 oz                      ground zucchini - 1/2 cup                      margarine - 1 tsp                      ground pasta salad - 1/2 cup                      vanilla ice cream- 1/2 cup                      vanilla milkshake- 1 cup</p>

This Sample Diet Provides the Following			
Calories	2043	Fat	61 gm

Valley Gastroenterology 12409 E Mission Ste 102 Spokane WA 99216

Protein	81 gm	Sodium	1584 mg
Carbohydrates	306 gm	Fiber	19 gm

Reference: [www.gicare.com](http://www.gicare.com)